

PCT

INTERNATIONAL PRELIMINARY REPORT ON PATENTABILITY

(Chapter II of the Patent Cooperation Treaty)

(PCT Article 36 and Rule 70)

Applicant's or agent's file reference PU030228	FOR FURTHER ACTION	R ACTION See Form PCT/IPEA/416					
International application No.	International filing date (daylm 29.07.2004	onth/year) Priority date (day/month/year) 29.07.2003					
	C) or national classification and IPC						
International Patent Classification (in H04L29/06	C) of Hational Glassification and it						
104220,00							
Applicant THOMSON LICENSING S.A	et al.						
This report is the internation Authority under Article 35	nal preliminary examination report, and transmitted to the applicant acco	established by this International Preliminary Examining ording to Article 36.					
2. This REPORT consists of	a total of 6 sheets, including this co	ver sheet.					
3. This report is also accomp	anied by ANNEXES, comprising:						
a. 🛭 sent to the applicar	t and to the International Bureau) a	total of 6 sheets, as follows:					
and/or sheets of Administrative	ontaining rectifications authorized b Instructions).	thich have been amended and are the basis of this report y this Authority (see Rule 70.16 and Section 607 of the					
☐ sheets which s beyond the dis Supplemental	closure in the international application	his Authority considers contain an amendment that goes on as filed, as indicated in item 4 of Box No. I and the					
lioting or	tional Bureau only) a total of (Indica d/or tables related thereto, in compl quence Listing (see Section 802 of t	te type and number of electronic carrier(s)) , containing uter readable form only, as indicated in the Supplementa he Administrative Instructions).					
4. This report contains indica	tions relating to the following items:						
⊠ Box No. I Basis of	the opinion						
☐ Box No. II Priority							
	ablishment of opinion with regard to	novelty, inventive step and industrial applicability					
☐ Box No. IV Lack of	unity of invention						
M Boy No V Reason	ed statement under Article 35(2) wit vility; citations and explanations sup	h regard to novelty, inventive step or industrial porting such statement					
☐ Box No. VI Certain	documents cited						
☐ Box No. VII Certain	defects in the international applicati						
☐ Box No. VIII Certain	observations on the international ap	plication					
Date of submission of the demand	Da	te of completion of this report					
12.04.2005	26	.10.2005					
Name and mailing address of the in	iternational Au	thorized Officer					
preliminary examining authority:	ice - Gitschiner Str. 103	i de din series de la companya della companya della companya de la companya della					
D-10958 Berlin	1-19	giel, B					
Tel. +49 30 25901 -)	lephone No. +49 30 25901-473					

10/566393

INTERNATIONAL PRELIMINARY REPORT ON PATENTABILITY

International application No. PCT/US2004/024559

1AP20 Rec'd FCT/FTO 27 JAN 2006

	Box No. I	Basis of the report
1.	With regard t	to the language , this report is based on the international application in the language in which it was otherwise indicated under this item.
	☐ This rep which is	port is based on translations from the original language into the following language , is the language of a translation furnished for the purposes of:
	□ publi □ interr	rnational search (under Rules 12.3 and 23.1(b)) lication of the international application (under Rule 12.4) rnational preliminary examination (under Rules 55.2 and/or 55.3)
2.	have been fi	to the elements* of the international application, this report is based on <i>(replacement sheets whic</i> furnished to the receiving Office in response to an invitation under Article 14 are referred to in this riginally filed" and are not annexed to this report):
	Description,	Pages
	1-10	as originally filed
	Claims, Num	
	1-41	received on 12.04.2005 with letter of 12.04.2005
	Drawings, Sh	heets
	1-3	as originally filed
		ac originally many
	□ a seque	ence listing and/or any related table(s) - see Supplemental Box Relating to Sequence Listing
3.	. □ The am	nendments have resulted in the cancellation of:
-	☐ the c	description, pages
		claims, Nos.
		drawings, sheets/figs sequence listing (specify):
	☐ any	table(s) related to sequence listing (specify):
4.	had not bee	port has been established as if (some of) the amendments annexed to this report and listed below en made, since they have been considered to go beyond the disclosure as filed, as indicated in the Ital Box (Rule 70.2(c)).
		description, pages
		claims, Nos. 14-24,35,37-40 drawings, sheets/figs
	☐ the s	sequence listing (specify):
	☐ any	table(s) related to sequence listing (specify):
	* If ite	em 4 applies, some or all of these sheets may be marked "superseded."

INTERNATIONAL PRELIMINARY REPORT ON PATENTABILITY

International application No. PCT/US2004/024559

	Box	k No. II	Pri	ority									
1.	×	prescri	ibed t by of t	ime limi he earli	t the requ er applica	ested: tion whos	e priority l	nas been d	claimed du laimed (Ru een claime	le 66.7(a)).	urnish with	nin the
2.		This re	eport	has bee invalid (n establis Rule 64.1	hed as if I	no priority or the purp	had been	claimed du is report, th	e to the fa	ct that th	ne priority ng date ind	claim has icated
3.	Add	ditional	obsei	vations,	if necess	ary:							
							-1.		egard to n				

1. Statement

Novelty (N)

Yes: Claims

applicability; citations and explanations supporting such statement

1-13,25-34,36,41

No: C

Claims

Inventive step (IS)

Yes: Claims

No: Claims

1-13,25-34,36,41

Industrial applicability (IA)

Yes: Claims

1-13,25-34,36,41

No: Claims

2. Citations and explanations (Rule 70.7):

see separate sheet

10/566393

INTERNATIONAL PRELIMINARY REPORT ON PATENTABILITY (SEPARATE SHEET)

IAP20 Rec'd Full International application No. 10 27 JAN 2006 PCT/US2004/024559

V. Reasoned statement under Art. 35(2)

1. Reference is made to the following documents; the numbering will be adhered to in the rest of the procedure:

D1: WO 96/42041 A (OPEN MARKET INC) 27 December 1996 (1996-12-27)

- 2. The application does not meet the requirements of **Article 6 PCT**, because the independent **claims 1 and 25** are not clear:
- 2.1 In claim 1 it is not clear which entities perform the steps of "transmitting an authentication request" and "receiving a response to said authentication request". It is assumed that they are performed by the client (as in the figure 3).
- 2.2 Similar objection is to be raised for claim 25 for the corresponding features.
- 3. The present application does not meet the criteria of **Article 33(1) PCT**, because the subject-matter of **independent claims 1 and 25** does not involve an inventive step in the sense of Article 33(3) PCT.
- 3.1 Referring to the wording of **claim 1** document D1 discloses: a method for controlling access to a network (abstract); said method comprising:
 - receiving, by an access point of said network, a request to access said network, said request transmitted by a client (Get CP: figure 3, step 3);
 - re-directing, by said AP, said access request to a local server (this step can be omitted in the case that AP and local server are co-located - one of two straightforward possibilities);
 - generating an URL by said AP/local server requesting that said client select an authentication server (AS) and forwarding said generated URL to said client (Redirect [AS]: figure 3, step 4; page 14, lines 6-8; it is **to be noted** that for the purpose of the authentication it is not relevant if such URL to the authentication server is sent directly to the user or if it is embedded in Web page and than sent to the user);
 - transmitting an authentication request to said selected authentication server

INTERNATIONAL PRELIMINARY REPORT ON PATENTABILITY (SEPARATE SHEET)

International application No.

PCT/US2004/024559

([AS] Get CP: figure 3, step 5; page 14, lines 8-13);

receiving a response to said authentication request from said selected authentication server (New URL w/SID: figure 3, step 8; page 14, line 34 - page 15, line 1).

storing a mapping of an association of unique data with an identifier of said client in said AP (page 15, lines 3-5);

- 3.2 From the method disclosed in document D1 the subject matter of **claim 1** differs in that AP/local server associates/generates the unique data with an identifier of said client. The problem to be solve is to generate a challenge which can be authenticated by other trusted party.
 - This feature is merely one of the straightforward possibilities from which the skilled person would select in accordance with circumstances, without the exercise of inventive skill, in order to solve the problem posed. Applying of session ID and randomized number for the authentication is very well known in the art and used e.g. in the IEEE 802.1x systems (see description, page 14, lines 13-14).
- 3.3 Furthermore it is **to be noted** that the problem to be solved by the present application is **to authenticate a user** without requiring an explicit separate communication session between the access point and the authentication server (see description page 3, lines 3-6 and 29-32). Document D1 provides exact the same solution. The mere fact that an access to the service instead of an access to the network is controlled it is regarded as irrelevant.

Thus, the subject-matter of claim 1 does not involve an inventive step and does not satisfy the criterion set forth in Articles 33(1) and 33(3) PCT.

- The above-mentioned lack of clarity notwithstanding, referring to the wording of **claim 25,** as far as it can be construed, document D1 discloses:
 a system for controlling access to a network comprising:
 - i) a client (client 50, figure 3);
 - ii) an access point AP co-located with a local server LS for relaying network communications to and from the client (content server 52, figure 3); and
 - iii) an authentication server (54, figure 3) for performing an authentication process

International application No.

INTERNATIONAL PRELIMINARY REPORT ON PATENTABILITY (SEPARATE SHEET)

PCT/US2004/024559

in response to a request from the client; wherein

- the LS transmits the unique data to the client (Redirect [AS]: figure 3, step 4; page 14, lines 6-8);
- the authentication server, upon authenticating the client using the unique data (page 14, lines 14-29), is operative to provide a re-direct header for access to the client (New URL w/SID: figure 3, step 8; page 14 line 34 page 15, line 1) including a digitally signed authentication message and authentication parameters corresponding to the unique data (page 14, lines 30-33),
- the AP receiving the digitally signed retrieved re-directed URL and authentication parameters from the client (figure 3, step 9) and the AP further correlating the authentication parameters with the mapped association data for determining access to the network based on the results of the correlation (page 14, lines 3-8).

From the method disclosed in document D1 the subject matter of claim 25 differs in that AP/local server associates/generates the unique data with an identifier of said client. This feature cannot be regarded as involving inventive step as already stated in points 3.2 and 3.3

Thus, the subject-matter of claim 25 does not involve an inventive step and does not satisfy the criterion set forth in Articles 33(1) and 33(3) PCT.

- 4. The dependent claims 2-13, 26-34, 36 and 41 do not appear to contain any additional features which, in combination with the features of any claim to which they refer, involve an inventive step (Articles 33(1) and 33(3) PCT) for the reason that the subject-matter of said claims is either in principle directly derivable from the disclosure of the document D1 or represents simple design details which are generally known to the person skilled in the field of access control.
- 4.1 Claims 2 and 26: the additional feature of these claims (said network is a WLAN) cannot be regarded as involving inventive step as already stated in point 3.3.

10/566393

PU030028

IAP20 RECUTOTO 27 JAN 2006

11

CLAIMS:

A method for controlling access to a network, said method comprising:
 receiving, by an access point (AP) of said network, a request to access said
 network, said request transmitted by a client;

re-directing, by said AP, said access request to a local server;

associating unique data with an identifier of said client and storing a mapping of said association in said AP;

generating a Web page by said local server requesting that said client select an authentication server (AS) and including said unique data and forwarding said generated Web page to said client;

transmitting an authentication request to said selected authentication server;

and

receiving a response to said authentication request from said selected authentication server.

- 2. The method according to claim 1, wherein said network is a wireless Local Area network (WLAN).
 - 3. The method according to claim 1, further comprising:

 forwarding said identifier of said client from said local server; and
 generating said unique data for said client by said local server.
 - 4. The method according to claim 1, further comprising:

retrieving, by said client, a re-directed URL having embedded data including a first digital signature, authentication parameters and said unique data and forwarding said re-directed URL to said AP;

creating, by said AP, a second digital signature using said authentication parameters, said unique data and said identifier;

comparing, by said AP, said first digital signature with said second digital signature;

determining, by said AP, if there is a match between said first digital signature and said second digital signature; and

12-04-2005

12

performing, by said AP, one of granting network access and denying network access based on said match determination.

- 5. The method according to claim 1, wherein said unique data includes a session ID and a randomized number.
- 6. The method according to claim 1, wherein said identifier is an address of said client.
- 7. The method according to claim 1, wherein the act of authenticating further comprises:

processing, by said AS, said authentication request, wherein said authentication request includes a session ID embedded in said authentication request;

responding to said authentication request by forwarding to said client by said AS an authentication input page, said authentication input page including a request for authentication information; and

receiving, by said AS, authentication credentials from said client, wherein said response to said authentication request forwarded to said client includes a re-direct header and a success code and associated information relevant to access of said network by said client.

- 8. The method according to claim 7, wherein the act of forwarding further comprises generating, by said AS, said success code and said associated information includes a first digital signature and authentication parameters.
- 9. The method according to claim 5, wherein said randomized number is one of a random number and a pseudo-random number.
- 10. The method according to claim 1, wherein said identifier is one of a physical (PHY) address of said client, a MAC address of said client and an IP address of said client.
- 11. The method according to claim 1, wherein said AP and said local server are colocated.

12-04-2005

13

- 12. The method according to claim 4, wherein said first and said second digital signatures are generated using one of a private key of said AS and a shared key between said AS and said local server.
- 13. The method according to claim 4, wherein said second digital signature is locally generated at said AP.

Claim 14.	(CANCELLED)
Claim 15.	(CANCELLED)
Claim 16.	(CANCELLED)
Claim 17.	(CANCELLED)
Claim 18.	(CANCELLED)
Claim 19.	(CANCELLED)
Claim 20.	(CANCELLED)
Claim 21.	(CANCELLED)
Claim 22.	(CANCELLED)
Claim 23.	(CANCELLED)
Claim 24.	(CANCELLED)

25. A system for controlling access to a network comprising: a client;

PU030028

14

an access point (AP) coupled to a local server (LS) for relaying network communications to and from the client; and

an authentication server for performing an authentication process in response to a request from the client; wherein

the AP, in response to a re-directed request to access the network from the client, associates unique data with an identifier of the client and stores a mapping of the association;

the LS transmits the unique data to the client;

the authentication server, upon authenticating the client using the unique data, is operative to provide a re-direct header for access to the client including a digitally signed authentication message and authentication parameters corresponding to the unique data, the AP receiving the digitally signed retrieved re-directed URL and authentication parameters from the client and the AP further correlating the authentication parameters with the mapped association data for determining access to the network based on the results of the correlation.

- 26. The system of claim 25, wherein the network is a wireless local area network (WLAN) comprising the access point and local server.
- 27. The system of claim 25, wherein the local server generates a web page requesting that the client select an authentication server, and embeds the unique data in the web page for transmission to the client.
- 28. The system of claim 25, wherein the identifier of the client is one of a physical address, MAC address and an IP address, and wherein the unique data comprises a session ID and a randomized number.
- 29. The system of claim 28, wherein the session ID and randomized number are generated by the local server.
- 30. The system of claim 28, wherein the authentication server receives user credential information from the client and provides a digitally signed authentication message including

PU030028

15

an authentication parameters using said unique data through HTTPS to the client via said redirect header to the client.

- 31. The system of claim 30, wherein the AP, in response to receiving the digitally signed authentication message re-directed from the client including the authentication parameters and at least a portion of the unique data from the client, generates a local digital signature using the received portion of the unique data and the stored mapping data together with the authentication parameters, and compares the local digital signature with the digitally signed authentication message to determine network access by the client.
- 32. The system of claim 25, wherein the re-direct header further comprises a means for re-directing a browser of the client to a URL on the network, and embedding in the URL said digitally signed authentication message, the authentication parameters and a portion of the unique data.
 - 33. The system of claim 26, wherein said AP and said LS are co-located.
 - 34. The method of Claim 1, further comprising:

at the authentication server, authenticating the client using the unique data, and forwarding said response to the client using a re-direct header, and including a digitally signed authentication message and authentication parameters corresponding to the unique data; and

the access point receiving from the client according to the re-direct header the digitally signed authentication message and authentication parameters and correlating the authentication parameters with the mapped association data for determining access to the network.

Claim 35. (CANCELLED)

36. The method of Claim 1, wherein said unique data comprises a session ID and a randomized number and further comprising: receiving, by said AP, a re-directed request from the client and including a digitally signed authentication message, an authentication parameter list, and said session ID, the digitally signed authentication message being generated using the

PU030028

16

randomized number, said session ID and said authentication parameter list, by said selected authentication server associated with the client; and

correlating the received digitally signed authentication message with the redirected request for access using the stored mapping data for controlling access by the client to the network.

Claim 37. (CANCELLED)

Claim 38. (CANCELLED)

Claim 39. (CANCELLED)

Claim 40. (CANCELLED)

41. The method according to claim 36, wherein said AP and said LS are co-located.